

January 12, 2024

John Cable Triangle 17855 Elk Prairie Drive P.O. Box 1026 Rolla, MO 65402

TEL: (573) 364-1864 FAX: (573) 364-4782

RE: RPS-Truman Elementary

TNI TNI FRORATORY

Illinois 100226 Kansas E-10374 Louisiana 05002 Louisiana 05003 Oklahoma 9978

WorkOrder: 23121994

Dear John Cable:

TEKLAB, INC received 60 samples on 12/27/2023 2:30:00 PM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Marvin L. Darling Project Manager

(618)344-1004 ex 41

mdarling@teklabinc.com

Mowin L. Darling I



Report Contents

http://www.teklabinc.com/

Client: Triangle Work Order: 23121994
Client Project: RPS-Truman Elementary Report Date: 12-Jan-24

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Quality Control Results	9
Receiving Check List	13
Chain of Custody	Appended



Definitions

http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

Client Project: RPS-Truman Elementary Report Date: 12-Jan-24

Abbr Definition

- * Analytes on report marked with an asterisk are not NELAP accredited
- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.
 - DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.
 - DNI Did not ignite
- DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- NC Data is not acceptable for compliance purposes
- ND Not Detected at the Reporting Limit
- NELAP NELAP Accredited
 - PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.
 - RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
 - RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
 - SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
 - Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
 - TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"
- TNTC Too numerous to count (> 200 CFU)



Definitions

http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

Client Project: RPS-Truman Elementary Report Date: 12-Jan-24

Qualifiers

- # Unknown hydrocarbon
- C RL shown is a Client Requested Quantitation Limit
- H Holding times exceeded
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
 - S Spike Recovery outside recovery limits
 - X Value exceeds Maximum Contaminant Level

- B Analyte detected in associated Method Blank
- E Value above quantitation range
- I Associated internal standard was outside method criteria
- M Manual Integration used to determine area response
- R RPD outside accepted recovery limits
- T TIC(Tentatively identified compound)



Case Narrative

http://www.teklabinc.com/

Work Order: 23121994

Report Date: 12-Jan-24

Client: Triangle Client Project: RPS-Truman Elementary

Cooler Receipt Temp: N/A °C

Locations

	Collinsville		Springfield	Kansas City					
Address	5445 Horseshoe Lake Road	Address	3920 Pintail Dr	Address	8421 Nieman Road				
	Collinsville, IL 62234-7425		Springfield, IL 62711-9415		Lenexa, KS 66214				
Phone	(618) 344-1004	Phone	(217) 698-1004	Phone	(913) 541-1998				
Fax	(618) 344-1005	Fax	(217) 698-1005	Fax	(913) 541-1998				
Email	jhriley@teklabinc.com	Email	KKlostermann@teklabinc.com	Email	jhriley@teklabinc.com				
	Collinsville Air		Chicago						
Address	5445 Horseshoe Lake Road	Address	1319 Butterfield Rd.						
	Collinsville, IL 62234-7425		Downers Grove, IL 60515						
Phone	(618) 344-1004	Phone	(630) 324-6855						
Fax	(618) 344-1005	Fax							
Email	EHurley@teklabinc.com	Email	arenner@teklabinc.com						



Accreditations

http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2025	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

Client Project: RPS-Truman Elementary Report Date: 12-Jan-24

Matrix: DRINKING WATER

	: DRINKING WAT	Certification	Qual RL	Result	Units	DF	Date Analyzed	Data Callacted
-	-		_	Result	Ullits	Dr	Date Analyzeu	Date Conected
	200.8 R5.4, META	LS BY ICPMS (TOTAL)					
Lead					,,			10/00/0000 11 00
23121994-001A	1-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 5:59	12/20/2023 11:00
23121994-002A	1-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 6:03	12/20/2023 11:00
23121994-003A		NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 6:07	12/20/2023 11:00
23121994-004A	2-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 6:41	12/20/2023 11:00
23121994-005A	3-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 6:45	12/20/2023 11:00
23121994-006A	3-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:05	12/20/2023 11:00
23121994-007A	4-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 6:49	12/20/2023 11:00
23121994-008A	4-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 6:53	12/20/2023 11:00
23121994-009A		NELAP	0.0010	0.0015	mg/L	1	01/10/2024 6:57	12/20/2023 11:00
23121994-010A	5-B	NELAP	0.0010	< 0.0010	mg/L	5	01/12/2024 9:51	12/20/2023 11:00
23121994-011A	6-A	NELAP	0.0010	0.0015	mg/L	1	01/10/2024 7:01	12/20/2023 11:00
23121994-012A	6-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:30	12/20/2023 11:00
23121994-013A		NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:34	12/20/2023 11:00
23121994-014A	7-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:39	12/20/2023 11:00
23121994-015A	8-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:59	12/20/2023 11:00
23121994-016A	8-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:43	12/20/2023 11:00
23121994-017A	9-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:47	12/20/2023 11:00
23121994-018A	9-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:51	12/20/2023 11:00
23121994-019A	10-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 7:55	12/20/2023 11:00
23121994-020A	10-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 8:24	12/20/2023 11:00
23121994-021A	11-A	NELAP	0.0010	0.0027	mg/L	1	01/10/2024 1:59	12/20/2023 11:00
23121994-022A	11-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 2:03	12/20/2023 11:00
23121994-023A	12-A	NELAP	0.0010	0.0051	mg/L	5	01/05/2024 19:26	12/20/2023 11:00
23121994-024A	12-B	NELAP	0.0010	0.0019	mg/L	1	01/10/2024 2:07	12/20/2023 11:00
23121994-025A	13-A	NELAP	0.0010	0.0029	mg/L	1	01/10/2024 2:12	12/20/2023 11:00
23121994-026A	13-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 2:16	12/20/2023 11:00
23121994-027A	14-A	NELAP	0.0010	0.0044	mg/L	1	01/10/2024 2:20	12/20/2023 11:00
23121994-028A	14-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 2:24	12/20/2023 11:00
23121994-029A	15-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 2:28	12/20/2023 11:00
23121994-030A	15-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 2:53	12/20/2023 11:00
23121994-031A	16-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 2:57	12/20/2023 11:00
23121994-032A	16-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 3:01	12/20/2023 11:00
23121994-033A	17-A	NELAP	0.0010	0.0059	mg/L	1	01/10/2024 3:05	12/20/2023 11:00
23121994-034A	17-B	NELAP	0.0010	0.0012	mg/L	1	01/10/2024 3:09	12/20/2023 11:00
23121994-035A	18-A	NELAP	0.0010	0.0029	mg/L	1	01/10/2024 3:14	12/20/2023 11:00
23121994-036A	18-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 3:18	12/20/2023 11:00
23121994-037A	19-A	NELAP	0.0010	0.0028	mg/L	1	01/10/2024 3:22	12/20/2023 11:00
23121994-038A	19-B	NELAP	0.0010	0.0014	mg/L	1	01/10/2024 3:26	12/20/2023 11:00
23121994-039A	20-A	NELAP	0.0010	0.0016	mg/L	1	01/10/2024 4:16	12/20/2023 11:00
23121994-040A	20-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 3:30	12/20/2023 11:00
23121994-041A	21-A	NELAP	0.0010	0.0022	mg/L	1	01/10/2024 3:47	12/20/2023 11:00
23121994-042A	21-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 3:51	12/20/2023 11:00
23121994-043A	22-A	NELAP	0.0010	0.0027	mg/L	1	01/10/2024 3:55	12/20/2023 11:00
23121994-044A	22-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 3:59	12/20/2023 11:00
23121994-045A	23-A	NELAP	0.0010	0.0039	mg/L	1	01/10/2024 4:03	12/20/2023 11:00
23121994-046A	23-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 4:07	12/20/2023 11:00
23121994-047A	24-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 4:11	12/20/2023 11:00
23121994-048A	24-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 4:40	12/20/2023 11:00



Laboratory Results

http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

Client Project: RPS-Truman Elementary Report Date: 12-Jan-24

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification Q	ual RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4	4, 200.8 R5.4, META	LS BY ICPMS (TO	TAL)					
Lead			-					
23121994-049	A 25-A	NELAP	0.0010	0.0030	mg/L	1	01/10/2024 4:45	12/20/2023 11:00
23121994-050	A 25-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 5:09	12/20/2023 11:00
23121994-051	A 26-A	NELAP	0.0010	0.0014	mg/L	1	01/10/2024 4:49	12/20/2023 11:00
23121994-052	A 26-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 4:53	12/20/2023 11:00
23121994-053	A 27-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 4:57	12/20/2023 11:00
23121994-054	A 27-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 5:01	12/20/2023 11:00
23121994-055	A 28-A	NELAP	0.0010	0.0039	mg/L	1	01/10/2024 6:12	12/20/2023 11:00
23121994-056	A 28-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 5:05	12/20/2023 11:00
23121994-057	A 29-A	NELAP	0.0010	0.0027	mg/L	1	01/10/2024 5:43	12/20/2023 11:00
23121994-058	A 29-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 5:47	12/20/2023 11:00
23121994-059	A 30-A	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 5:51	12/20/2023 11:00
23121994-060	A 30-B	NELAP	0.0010	< 0.0010	mg/L	1	01/10/2024 5:55	12/20/2023 11:00



http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

Batch 216634	SampType:	MBLK	U	nits mg/L							
SampID: MBLK-216	634										Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/202
Batch 216634 SampID: LCS-21663	SampType:	LCS	U	nits mg/L							Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010		0.0477	0.0500	0	95.4	85	115	01/05/202
Batch 216634 SampID: 23121994-	SampType: 006AMS	MS	U	nits mg/L							Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010	E	0.104	0.1000	0	103.8	70	130	01/10/202
Batch 216634	SampType:	MSD	U	nits mg/L					RPD Lir	mit: 20	
SamplD: 23121994- Analyses	006AMSD	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	RPD Ref Val %RPD	
Lead			0.0010	E	0.105	0.1000	0	105.1	0.1038	1.28	01/10/202
Batch 216634 SampID: 23121994-	SampType: 015AMS	MS	U	nits mg/L							Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010	Е	0.107	0.1000	0.0004754	106.1	70	130	01/10/202
Batch 216634	SampType:	MSD	U	nits mg/L					RPD Lir	mit: 20	
SampID: 23121994- Analyses	UTSAIVISD	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	al %RPD	Date Analyzed
Lead		Cert	0.0010	E	0.107	0.1000	0.0004754	106.4	0.1065	0.36	01/10/202
Batch 216660 SamplD: MBLK-216	SampType:	MBLK	U	nits mg/L							_
·	000	Cort	RL	Ouel	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Analyses Lead		Cert	0.0010	Qual	< 0.0010	0.0002		0	-100	100	01/05/202
	SampType:	LCS	U	nits mg/L							
Batch 216660 SampID: LCS-21666											Date Analyzed



http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

Batch 216660 SampType: SampID: 23121994-029AMS	MS	L	Inits mg/L							Date
Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead	COIT	0.0010	E	0.105	0.1000	0	105.1	70	130	01/10/202
Batch 216660 SampType:	MSD	L	Inits mg/L					RPD Lir	nit: 20	
SampID: 23121994-029AMSD										Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	al %RPD	Analyzed
Lead		0.0010	E	0.102	0.1000	0	101.7	0.1051	3.23	01/10/202
Batch 216660 SampType: SampID: 23121994-039AMS	MS	L	Inits mg/L							
·	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Analyses Lead	Cert	0.0010	E	0.107	0.1000	0.001579	105.6	70	130	01/10/202
Leau		0.0010	_	0.107	0.1000	0.001379	105.0	70	130	01/10/202
Batch 216660 SampType:	MSD	L	Inits mg/L					RPD Lir	nit: 20	
SampID: 23121994-039AMSD	~				~	ODK D-() (-1	0/ DEO	DDD D-()/	-I 0/DDD	Date Analyzed
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val		RPD Ref V		
Lead		0.0010	E	0.108	0.1000	0.001579	106.7	0.1072	1.05	01/10/202
Batch 216661 SampType:	MBLK	L	Inits mg/L							
SampID: MBLK-216661 Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead	COIT	0.0010	Quui	< 0.0010	0.0002	0	0	-100	100	01/05/202
Batch 216661 SampType:	LCS	L	Inits mg/L							
SampID: LCS-216661										Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.0477	0.0500	0	95.4	85	115	01/05/202
Batch 216661 SampType:	MS	L	Inits mg/L							
SampID: 23121994-050AMS	a	D.		5 1	a	ODK D-() (-1	0/ DEO	1 1 2 20	112-6-12-2	Date Analyzed
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val		Low Limit	-	-
Lead		0.0010	E	0.102	0.1000	0.0005167	101.2	70	130	01/10/202
Batch 216661 SampType:	MSD	L	Inits mg/L					RPD Lir	nit: 20	
SampID: 23121994-050AMSD										Date
										A not read
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	al %RPD	Analyzed



http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

Batch 216661 SampType:	MS	ι	Inits mg/L							
SampID: 23121994-055AMS										Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010	E	0.106	0.1000	0.003936	102.2	70	130	01/10/202
Batch 216661 SampType:	MSD	ι	Jnits mg/L					RPD Lin	nit: 20	
SampID: 23121994-055AMSD										Date Analyzed
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val		RPD Ref Va		•
Lead		0.0010	E	0.112	0.1000	0.003936	107.6	0.1061	4.99	01/10/202
Batch 216831 SampType: SampID: MBLK-216831	MBLK	ι	Jnits mg/L							Date
Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/202
Batch 216831 SampType: SampID: LCS-216831 Analyses	LCS Cert	RL	Jnits mg/L Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead	Cert	0.0010	Quai	0.497	0.5000	0	99.4	85	115	01/05/202
				••.	0.0000					01/00/202
Batch 216831 SampType: SampID: 23121869-069AMS	MS	ι	Jnits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.484	0.5000	0.001288	96.6	70	130	01/05/202
Batch 216831 SampType : SampID: 23121869-069AMSD	MSD	L	Jnits mg/L					RPD Lin	nit: 20	Date
Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	RPD Ref Va	al %RPD	Analyzed
Lead		0.0010	Q uui	0.453	0.5000	0.001288	90.4	0.4845	6.68	01/05/202
Batch 216831 SampType : SampID: 23122019-019AMS	MS	L	Jnits mg/L							Data
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%RFC	Low Limit	High Limit	Date Analyzed
Lead	CCIT	0.0010	Quai	0.480	0.5000	0.06922	82.2	70	130	01/05/202
Batch 216831 SampType:	MSD	l	Jnits mg/L					RPD Lin	nit: 20	
SampID: 23122019-019AMSD										Date
								5555 614		Analyzed
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Va	al %RPD	Allalyzeu



http://www.teklabinc.com/

Client: Triangle Work Order: 23121994

EPA 600 4.1.4, 200).8 R5.4, ME	TALS BY	ICPMS	(TOTAL)							
Batch 217013	SampType:	MBLK	ι	Jnits mg/L							
SamplD: MBLK-2170	013										Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010		< 0.0010	0.0002	0	0	-100	100	01/10/2024
Batch 217013	SampType:	LCS	ι	Jnits mg/L							
SampID: LCS-21701	3										Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010		0.477	0.5000	0	95.5	85	115	01/12/2024
Batch 217013	SampType:	MS	ι	Jnits mg/L							
SampID: 24010099-0	OO3AMS										Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010		0.477	0.5000	0	95.5	70	130	01/12/2024
Batch 217013	SampType:	MSD	ι	Jnits mg/L					RPD Lir	mit: 20	
SamplD: 24010099-0	003AMSD										Date
Analyses		Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	al %RPD	Analyzed
Lead		2 0	0.0010	¥	0.486	0.5000	0	97.1	0.4773	1.74	01/12/2024



Receiving Check List

http://www.teklabinc.com/

Work Order: 23121994 Client: Triangle Client Project: RPS-Truman Elementary Report Date: 12-Jan-24 Carrier: John Cable Received By: LEH Completed by: moon Ollauc Reviewed by: On: On: 28-Dec-23 28-Dec-23 Amber Dilallo Ellie Hopkins Extra pages included Pages to follow: Chain of custody 6 Shipping container/cooler in good condition? **V** No 🗔 Not Present Temp °C N/A Type of thermal preservation? **~** Ice _ Blue Ice None Dry Ice Chain of custody present? **~** No L Yes Chain of custody signed when relinquished and received? **~** Yes No L **~** Chain of custody agrees with sample labels? No 🗀 Yes **~** No \square Samples in proper container/bottle? Yes **V** No 🗌 Sample containers intact? Yes Sufficient sample volume for indicated test? Yes **~** No **~** No \square All samples received within holding time? Yes NA 🗸 Field Lab 🗌 Reported field parameters measured: Yes 🗸 No 🗌 Container/Temp Blank temperature in compliance? When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected. No VOA vials ✓ Water - at least one vial per sample has zero headspace? Yes 🗌 No 🗀 No TOX containers Water - TOX containers have zero headspace? Yes No 🗌 Yes 🗹 No 🗌 Water - pH acceptable upon receipt?

Yes

Any No responses must be detailed below or on the COC.

No 🗀

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

NPDES/CWA TCN interferences checked/treated in the field?

NA 🗸



CHAIN OF CUSTODY

Pg 1 of 1 Workorder # 23121994

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

GINEERING		Sa	mpl	es o	n:		C	•		BI	UE I	CE	X	NC) ICE	Ε _	N		C	
		Pre	eser	ved	in:		LAI	3		FE	LD		_	FOR	LAE	us	<u>E 01</u>	iLY		
		LA	B N	OTE	S:		_													
573 308 0140	1	L																		
GMAIL.COM		CI	ent	Co	mm	ents	:													
Are these samples known to be involved in litigation? If yes, a surcharge will apply: Yes No Are these samples known to be hazardous? Yes No Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section: Yes No PROJECT NAME/NUMBER SAMPLE COLLECTOR'S NAME															<u> </u>					
COLLECTOR	S NAME	#	an	d Ty	ре	of C	onta	ine	rs		INC	ICA	TE	ANA	LYS	SIS	REC	UES	TE	2
PPS-Trumon ELEMENTARY JOHN W CABLE										2				$\lceil \ \rceil$						
BILLIN	IG INSTRUCTIONS	1_	ᆵ	z	된	- 3	z Za	_	o	2		1								
TRIANGL	.E	Ž	O.	후	SO	֓֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֡֓֡֓֡֡֓֡֓֡֡֡֓֡֡֡֓֡֡֡֡	징	SP.	₹	JI										
			3	-	4	"	Z													
me Sampled	Matrix								Ш	$oldsymbol{\perp}$		<u> </u>	<u> </u>							
	Drinking Water					\perp														
	Drinking Water																			
	Drinking Water																			
	Drinking Water																			
	Drinking Water					\prod						\mathbf{I}_{-}							\Box	
	Drinking Water											T							\Box	
	Drinking Water					$oxed{\mathbb{L}}$				T	T	T		\Box	1	十	T		T	\top
	Drinking Water									7	┪	1	厂	T	\exists	\top	1	\Box	丁	
	Drinking Water									1	\top	T	T		1	1	\top	П	丁	T
	Drinking Water									I		工					1		コ	工
	Drinking Water																			
ed By Date/Time				,		_														
JOHN W CABLE JULY 12/21/23 (0) 1930			$\Delta \mu$	11	N	K	Ø	10	<u>~</u>	0	\supset				12	12	7/2	3	14	<u> </u>
														\dashv						
		一						······································						一十						
	573 308 0140 GMAIL.COM Irge will apply: [No alysis?. If yes, ple COLLECTOR'S CABLE BILLIN TRIANGL me Sampled	GMAIL.COM rge will apply: Yes V No No alysis?. If yes, please provide COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water Drinking Water	Fricking Water Drinking Water	Preser LAB N 573 308 0140 GMAIL.COM rge will apply: Yes V No No alysis?. If yes, please provide COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Drinking Water	Preserved LAB NOTE 573 308 0140 GMAIL.COM rge will apply: Yes No No alysis?. If yes, please provide COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Drinking Water Drinking Water	Preserved in: LAB NOTES: 573 308 0140 GMAIL.COM rge will apply: Yes V No No alysis?. If yes, please provide COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Drinking Water Drinking Water	Preserved in: LAB NOTES: 573 308 0140 Client Comments rige will apply: Yes No No alysis?. If yes, please provide COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water	Preserved in: LAB NOTES: 573 308 0140 QGMAIL.COM rge will apply: Yes V No No alysis? If yes, please provide COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water Drinking Water	Preserved in: LAB LAB NOTES: 573 308 0140 PGMAIL.COM GGMAIL.COM Tricking Water Drinking Water	Preserved in: LAB LAB NOTES: 573 308 0140 CGMAIL.COM Client Comments: Client Comments: COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Drinking Water Drinking Water	Preserved in: LAB FE LAB NOTES: 573 308 0140 Client Comments: Client Comments: Client Comments: Collector's NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water	Preserved in: LAB FELD LAB NOTES: 573 308 0140 Client Comments: Client Comments: COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water	Preserved in: LAB FELD LAB NOTES: 573 308 0140 Client Comments: Client Comments: COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Drinking Water Drinking Water	Preserved in: LAB FELD LAB NOTES: 573 308 0140 Client Comments: Client Comments: Client Comments: COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water Drinking Water	Preserved in: LAB FELD FOR LAB NOTES: 573 308 0140 Client Comments: Client Comments: Client Comments: COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water	Preserved in: LAB FELD FOR LAB LAB NOTES: 573 308 0140 Client Comments: Client Comments: Client Comments: Client Comments: COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Drinking Water	Preserved in: LAB FELD FOR LAB US LAB NOTES: ST3 308 0140	Preserved in: LAB FELD FOR LAB USE ON LAB NOTES: 573 306 0140 ©GMAIL.COM rige will apply: Yes No No alysis?, if yes, please provide COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Matrix Drinking Water Drinking Water	Preserved In: LAB FELD FOR LAB USE ONLY LAB NOTES: ST3 308 0140 FELD FOR LAB USE ONLY	Preserved In: LAB FELD FOR LAB USE ONLY LAB NOTES: 573 308 0140 @GMAIL.COM Client Comments: Collect Comments: COLLECTOR'S NAME CABLE BILLING INSTRUCTIONS TRIANGLE Marrix Drinking Water Drinking Water

^{*}The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

Truman

23121994

23121994/23112002

3121	994			
OO	1 1-A	DRINKING WATER	LEAD	12/20/23 @ 1100
00	∑1-B	DRINKING WATER	LEAD	12/20/23 @ 1100
നു	2-A	DRINKING WATER	LEAD	12/20/23 @ 1100
ω	\ 2-B	DRINKING WATER	LEAD	12/20/23 @ 1100
***	3-A	DRINKING WATER	LEAD	12/20/23 @ 1100
000	∠3-B	DRINKING WATER	LEAD	12/20/23 @ 1100
	4-A	DRINKING WATER	LEAD	12/20/23 @ 1100
008		DRINKING WATER	LEAD	12/20/23 @ 1100
009	5-A	DRINKING WATER	LEAD	12/20/23 @ 1100
010	5-B	DRINKING WATER	LEAD	12/20/23 @ 1100
OH	6-A	DRINKING WATER	LEAD	12/20/23 @ 1100
OIL	6-B	DRINKING WATER	LEAD	12/20/23 @ 1100
013	*** A	DRINKING WATER	LEAD	12/20/23 @ 1100
014 014		DRINKING WATER	LEAD	12/20/23 @ 1100
015		DRINKING WATER	LEAD	12/20/23 @ 1100
	0.0	DRINKING WATER	LEAD	12/20/23 @ 1100
01ll 017	9-A	DRINKING WATER	LEAD	12/20/23 @ 1100
018	9-B	DRINKING WATER	LEAD	12/20/23 @ 1100
019	10-A	DRINKING WATER	LEAD	12/20/23 @ 1100
020	10-B	DRINKING WATER	LEAD	12/20/23 @ 1100
021	11-A	DRINKING WATER	LEAD	12/20/23 @ 1100
-	11-B	DRINKING WATER	LEAD	12/20/23 @ 1100
	12-A	DRINKING WATER	LEAD	12/20/23 @ 1100
024	12-B	DRINKING WATER	LEAD	12/20/23 @ 1100
025	13-A	DRINKING WATER	LEAD	12/20/23 @ 1100
024	13-B	DRINKING WATER	LEAD	12/20/23 @ 1100
027	14-A	DRINKING WATER	LEAD	12/20/23 @ 1100
028	14-B	DRINKING WATER	LEAD	12/20/23 @ 1100
029	15-A	DRINKING WATER	LEAD	12/20/23 @ 1100
030	15-B	DRINKING WATER	LEAD	12/20/23 @ 1100
03	16-A	DRINKING WATER	LEAD	12/20/23 @ 1100
032	16-B	DRINKING WATER	LEAD	12/20/23 @ 1100
033	17-A	DRINKING WATER	LEAD	12/20/23 @ 1100
QSY	17-B	DRINKING WATER	LEAD	12/20/23 @ 1100
O35	18-A	DRINKING WATER	LEAD	12/20/23 @ 1100
C36	18-B	DRINKING WATER	LEAD	12/20/23 @ 1100
037	19-A	DRINKING WATER	LEAD	12/20/23 @ 1100
O38^	19-B	DRINKING WATER	LEAD	12/20/23 @ 1100
039	20-A	DRINKING WATER	LEAD	12/20/23 @ 1100
040	20-B	DRINKING WATER	LEAD	12/20/23 @ 1100
041	21-A	DRINKING WATER	LEAD	12/20/23 @ 1100
OUL	21-B	DRINKING WATER	LEAD	12/20/23 @ 1100
OU3	22-A	DRINKING WATER	LEAD	12/20/23 @ 1100
044	22-B	DRINKING WATER	LEAD	12/20/23 @ 1100
045	23-A	DRINKING WATER	LEAD	12/20/23 @ 1100
046	23-B	DRINKING WATER	LEAD	12/20/23 @ 1100
Our	24-A	DRINKING WATER	LEAD	12/20/23 @ 1100
•				

Truman

23121994/ 2312001/2312002

2332001			
23)2,1994			
048 24-B	DRINKING WATER	LEAD	12/20/23 @ 1100
OLA 25-A OSD 25-B	DRINKING WATER	LEAD	12/20/23 @ 1100
- 200	DRINKING WATER	LEAD	12/20/23 @ 1100
DS 26-A	DRINKING WATER	LEAD	12/20/23 @ 1100
052 26-B	DRINKING WATER	LEAD	12/20/23 @ 1100
⊕3 27-A	DRINKING WATER	LEAD	12/20/23 @ 1100
05Y 27-B	DRINKING WATER	LEAD	12/20/23 @ 1100
005 28-A	DRINKING WATER	LEAD	12/20/23 @ 1100
05le 28-B	DRINKING WATER	LEAD	12/20/23 @ 1100
<u>ර</u> ්විටි 29-A	DRINKING WATER	LEAD	12/20/23 @ 1100
⊖5% 29-B	DRINKING WATER	LEAD	12/20/23 @ 1100
059 30-A	DRINKING WATER	LEAD	12/20/23 @ 1100
23)2200,30-B	DRINKING WATER	LEAD	12/20/23 @ 1100
ON 31-A	DRINKING WATER	LEAD	12/20/23 @ 1100
○02_31-B	DRINKING WATER	LEAD	12/20/23 @ 1100
003 32-A	DRINKING WATER	LEAD	12/20/23 @ 1100
OCY 32-B	DRINKING WATER	LEAD	12/20/23 @ 1100
005 33-A	DRINKING WATER	LEAD	12/20/23 @ 1100
CCLQ 33-B	DRINKING WATER	LEAD	12/20/23 @ 1100
007 34-A	DRINKING WATER	LEAD	12/20/23 @ 1100
○○ % 34-B	DRINKING WATER	LEAD	12/20/23 @ 1100
८ <u>०</u> ०, 35-A	DRINKING WATER	LEAD	12/20/23 @ 1100
○)○ 35-B	DRINKING WATER	LEAD	12/20/23 @ 1100
OH 36-A	DRINKING WATER	LEAD	12/20/23 @ 1100
OIL 36-B	DRINKING WATER	LEAD	12/20/23 @ 1100
013 37-A	DRINKING WATER	LEAD	12/20/23 @ 1100
OI4 37-B	DRINKING WATER	LEAD	12/20/23 @ 1100
015 38-A	DRINKING WATER	LEAD	12/20/23 @ 1100
OIL 38-B	DRINKING WATER	LEAD	12/20/23 @ 1100
⊘ <u>`</u> ∩ 39-A	DRINKING WATER	LEAD	12/20/23 @ 1100
○1& 39-B	DRINKING WATER	LEAD	12/20/23 @ 1100
019 40-A	DRINKING WATER	LEAD	12/20/23 @ 1100
○2○ 40-B	DRINKING WATER	LEAD	12/20/23 @ 1100
O2) 41-A	DRINKING WATER	LEAD	12/20/23 @ 1100
O27 41-B	DRINKING WATER	LEAD	12/20/23 @ 1100
023 42-A	DRINKING WATER	LEAD	12/20/23 @ 1100
02V 42-B	DRINKING WATER	LEAD	12/20/23 @ 1100
025 43-A	DRINKING WATER	LEAD	12/20/23 @ 1100
02U 43-B	DRINKING WATER	LEAD	12/20/23 @ 1100
OZ7 44-A	DRINKING WATER	LEAD	12/20/23 @ 1100
○28 44-B	DRINKING WATER	LEAD	12/20/23 @ 1100
029 45-A	DRINKING WATER	LEAD	12/20/23 @ 1100
<u>ეპ</u> ე 45-B	DRINKING WATER	LEAD	12/20/23 @ 1100
O3) 46-A	DRINKING WATER	LEAD	12/20/23 @ 1100
_ეკე 46-B	DRINKING WATER	LEAD	12/20/23 @ 1100
O33 47-A	DRINKING WATER	LEAD	12/20/23 @ 1100
034 47-B	DRINKING WATER	LEAD	12/20/23 @ 1100

200			
23)1200) 035 48-A	DRINKING WATER	LEAD	12/20/22 @ 1100
035 48-A 03U 48-B	DRINKING WATER	LEAD	12/20/23 @ 1100
O37 49-A	DRINKING WATER	LEAD	12/20/23 @ 1100 12/20/23 @ 1100
031 49-A 038 49-B	DRINKING WATER	LEAD	· · · · · · · · · · · · · · · · · · ·
~ ·	DRINKING WATER	LEAD	12/20/23 @ 1100
00,	DRINKING WATER	LEAD	12/20/23 @ 1100
U -, U	DRINKING WATER	LEAD	12/20/23 @ 1100
•	DRINKING WATER		12/20/23 @ 1100
V 11		LEAD	12/20/23 @ 1100
0 10	DRINKING WATER DRINKING WATER	LEAD LEAD	12/20/23 @ 1100
011		LEAD	12/20/23 @ 1100
044	DRINKING WATER		12/20/23 @ 1100
U-10	DRINKING WATER	LEAD LEAD	12/20/23 @ 1100
± OU 54-A m OU 54-B	DRINKING WATER		12/20/23 @ 1100
18000 55 A	DRINKING WATER	LEAD	12/20/23 @ 1100
	DRINKING WATER	LEAD	12/20/23 @ 1100
	DRINKING WATER	LEAD	12/20/23 @ 1100
ე <u>წ</u> 2, 56-B ეწ ³ 57-A	DRINKING WATER	LEAD	12/20/23 @ 1100
05√ 57-A 05√ 57-B	DRINKING WATER	LEAD	12/20/23 @ 1100
•	DRINKING WATER	LEAD	12/20/23 @ 1100
OSS 58-A OSU 58-B	DRINKING WATER	LEAD	12/20/23 @ 1100
057 _{59-A}	DRINKING WATER	LEAD	12/20/23 @ 1100
05859-B	DRINKING WATER	LEAD	12/20/23 @ 1100
	DRINKING WATER	LEAD	12/20/23 @ 1100
059 60-A	DRINKING WATER	LEAD	12/20/23 @ 1100
060 60-B	DRINKING WATER	LEAD	12/20/23 @ 1100
311.2887- 61-A	DRINKING WATER	LEAD	12/20/23 @ 1100
∞2 61-B	DRINKING WATER	LEAD	12/20/23 @ 1100
003 62-A	DRINKING WATER	LEAD	12/20/23 @ 1100
004 62-B 005 63-A	DRINKING WATER	LEAD	12/20/23 @ 1100
00% 63-A 00% 63-B	DRINKING WATER	LEAD	12/20/23 @ 1100
-4×7×7×	DRINKING WATER	LEAD	12/20/23 @ 1100
OT /\	DRINKING WATER	LEAD	12/20/23 @ 1100
en en en	DRINKING WATER	LEAD	12/20/23 @ 1100
009 65-A	DRINKING WATER	LEAD	12/20/23 @ 1100
©1○ 65-B	DRINKING WATER	LEAD	12/20/23 @ 1100
O() 66-A	DRINKING WATER	LEAD	12/20/23 @ 1100
012 66-B	DRINKING WATER	LEAD	12/20/23 @ 1100
OB 67-A	DRINKING WATER	LEAD	12/20/23 @ 1100
014 67-B	DRINKING WATER	LEAD	12/20/23 @ 1100
○)5 68-A	DRINKING WATER	LEAD	12/20/23 @ 1100
010 68-B	DRINKING WATER	LEAD	12/20/23 @ 1100
OI) 69-A	DRINKING WATER	LEAD	12/20/23 @ 1100
O) § 69-B	DRINKING WATER	LEAD	12/20/23 @ 1100
019 70-A	DRINKING WATER	LEAD	12/20/23 @ 1100
(2) 70-B	DRINKING WATER	LEAD	12/20/23 @ 1100
()2) 71-A	DRINKING WATER	LEAD	12/20/23 @ 1100
()22 71-B	DRINKING WATER	LEAD	12/20/23 @ 1100
The state of the s			

Truman

23+2+994 TF GM N/28/13

72-A	DRINKING WATER	LEAD	12/20/23 @ 1100
72-B	DRINKING WATER	LEAD	12/20/23 @ 1100
73-A	DRINKING WATER	LEAD	12/20/23 @ 1100
73-B	DRINKING WATER	LEAD	12/20/23 @ 1100
74-A	DRINKING WATER	LEAD	12/20/23 @ 1100
74-B	DRINKING WATER	LEAD	12/20/23 @ 1100
75-A	DRINKING WATER	LEAD	12/20/23 @ 1100
75-B	DRINKING WATER	LEAD	12/20/23 @ 1100
76-A	DRINKING WATER	LEAD	12/20/23 @ 1100
76-B	DRINKING WATER	LEAD	12/20/23 @ 1100
77-A	DRINKING WATER	LEAD	12/20/23 @ 1100
77-B	DRINKING WATER	LEAD	12/20/23 @ 1100
78-A	DRINKING WATER	LEAD	12/20/23 @ 1100
78-B	DRINKING WATER	LEAD	12/20/23 @ 1100
79-A	DRINKING WATER	LEAD	12/20/23 @ 1100
79-B	DRINKING WATER	LEAD	12/20/23 @ 1100
80-A	DRINKING WATER	LEAD	12/20/23 @ 1100
80-B	DRINKING WATER	LEAD	12/20/23 @ 1100
81-A	DRINKING WATER	LEAD	12/20/23 @ 1100
81-B	DRINKING WATER	LEAD	12/20/23 @ 1100
82-A	DRINKING WATER	LEAD	12/20/23 @ 1100
82-B	DRINKING WATER	LEAD	12/20/23 @ 1100
83-A	DRINKING WATER	LEAD	12/20/23 @ 1100
83-B	DRINKING WATER	LEAD	12/20/23 @ 1100
84-A	DRINKING WATER	LEAD	12/20/23 @ 1100
84-B	DRINKING WATER	LEAD	12/20/23 @ 1100
85-A	DRINKING WATER	LEAD	12/20/23 @ 1100
85-B	DRINKING WATER	LEAD	12/20/23 @ 1100
86-A	DRINKING WATER	LEAD	12/20/23 @ 1100
86-B	DRINKING WATER	LEAD	12/20/23 @ 1100
87-A	DRINKING WATER	LEAD	12/20/23 @ 1100
87-B	DRINKING WATER	LEAD	12/20/23 @ 1100
88-A	DRINKING WATER	LEAD	12/20/23 @ 1100
88-B	DRINKING WATER	LEAD	12/20/23 @ 1100
89-A	DRINKING WATER	LEAD	12/20/23 @ 1100
89-B	DRINKING WATER	LEAD	12/20/23 @ 1100
90-A	DRINKING WATER	LEAD	12/20/23 @ 1100
90-B	DRINKING WATER	LEAD	12/20/23 @ 1100
91-A	DRINKING WATER	LEAD	12/20/23 @ 1100
91-B	DRINKING WATER	LEAD	12/20/23 @ 1100
92-A	DRINKING WATER	LEAD	12/20/23 @ 1100
92-B	DRINKING WATER	LEAD	12/20/23 @ 1100
93-A	DRINKING WATER	LEAD	12/20/23 @ 1100
93-B	DRINKING WATER	LEAD	12/20/23 @ 1100
94-A	DRINKING WATER	LEAD	12/20/23 @ 1100
94-B	DRINKING WATER	LEAD	12/20/23 @ 1100
95-A	DRINKING WATER	LEAD	12/20/23 @ 1100

23121994 TE GMI 12/18/13

95-B	DRINKING WATER	LEAD	12/20/23 @ 1100
96-A	DRINKING WATER	LEAD	12/20/23 @ 1100
96-B	DRINKING WATER	LEAD	12/20/23 @ 1100
97-A	DRINKING WATER	LEAD	12/20/23 @ 1100
97-B	DRINKING WATER	LEAD	12/20/23 @ 1100
98-A	DRINKING WATER	LEAD	12/20/23 @ 1100
98-B	DRINKING WATER	LEAD	12/20/23 @ 1100
99-A	DRINKING WATER	LEAD	12/20/23 @ 1100
99-B	DRINKING WATER	LEAD	12/20/23 @ 1100
100-A	DRINKING WATER	LEAD	12/20/23 @ 1100
100-B	DRINKING WATER	LEAD	12/20/23 @ 1100
100-b 101-A	DRINKING WATER	LEAD	12/20/23 @ 1100
101-A 101-B	DRINKING WATER	LEAD	12/20/23 @ 1100
102-A	DRINKING WATER	LEAD	12/20/23 @ 1100
102-B	DRINKING WATER	LEAD	12/20/23 @ 1100
103-A	DRINKING WATER	LEAD	12/20/23 @ 1100
103-B	DRINKING WATER	LEAD	12/20/23 @ 1100
104-A	DRINKING WATER	LEAD	12/20/23 @ 1100
104-B	DRINKING WATER	LEAD	12/20/23 @ 1100
105-A	DRINKING WATER	LEAD	12/20/23 @ 1100
105-B	DRINKING WATER	LEAD	12/20/23 @ 1100
106-A	DRINKING WATER	LEAD	12/20/23 @ 1100
106-B	DRINKING WATER	LEAD	12/20/23 @ 1100
107-A	DRINKING WATER	LEAD	12/20/23 @ 1100
107-B	DRINKING WATER	LEAD	12/20/23 @ 1100
108-A	DRINKING WATER	LEAD	12/20/23 @ 1100
108-B	DRINKING WATER	LEAD	12/20/23 @ 1100
109-A	DRINKING WATER	LEAD	12/20/23 @ 1100
109-B	DRINKING WATER	LEAD	12/20/23 @ 1100
110-A	DRINKING WATER	LEAD	12/20/23 @ 1100
110-B	DRINKING WATER	LEAD	12/20/23 @ 1100
111-A	DRINKING WATER	LEAD	12/20/23 @ 1100
111-B	DRINKING WATER	LEAD	12/20/23 @ 1100
112-A	DRINKING WATER	LEAD	12/20/23 @ 1100
112-B	DRINKING WATER	LEAD	12/20/23 @ 1100
112-5 113-A	DRINKING WATER	LEAD	12/20/23 @ 1100
113-A 113-B	DRINKING WATER	LEAD	12/20/23 @ 1100
	DRINKING WATER	LEAD	
114-A			12/20/23 @ 1100
114-B	DRINKING WATER	LEAD	12/20/23 @ 1100
115-A	DRINKING WATER	LEAD	12/20/23 @ 1100
115-B	DRINKING WATER	LEAD	12/20/23 @ 1100
116-A	DRINKING WATER	LEAD	12/20/23 @ 1100
116-B	DRINKING WATER	LEAD	12/20/23 @ 1100
117-A	DRINKING WATER	LEAD	12/20/23 @ 1100
117-B	DRINKING WATER	LEAD	12/20/23 @ 1100
118-A	DRINKING WATER	LEAD	12/20/23 @ 1100
118-B	DRINKING WATER	LEAD	12/20/23 @ 1100

Truma

231-21-174 TE GM 11/28/13

119-A	DRINKING WATER	LEAD	12/20/23 @ 1100
119-В	DRINKING WATER	LEAD	12/20/23 @ 1100
120-A	DRINKING WATER	LEAD	12/20/23 @ 1100
120-B	DRINKING WATER	LEAD	12/20/23 @ 1100
121-A	DRINKING WATER	LEAD	12/20/23 @ 1100
121-B	DRINKING WATER	LEAD	12/20/23 @ 1100
122-A	DRINKING WATER	LEAD	12/20/23 @ 1100
122-В	DRINKING WATER	LEAD	12/20/23 @ 1100
123-A	DRINKING WATER	LEAD	12/20/23 @ 1100
123-В	DRINKING WATER	LEAD	12/20/23 @ 1100
124-A	DRINKING WATER	LEAD	12/20/23 @ 1100
124-B	DRINKING WATER	LEAD	12/20/23 @ 1100
125-A	DRINKING WATER	LEAD	12/20/23 @ 1100
125-B	DRINKING WATER	LEAD	12/20/23 @ 1100